

Navigation

- [index](#)
- [modules](#) |
- [next](#) |
- [previous](#) |
- [Python v2.6.4 documentation](#) »
- [The Python Standard Library](#) »
- [11. File and Directory Access](#) »

11.1. `os.path` — Common pathname manipulations¶

This module implements some useful functions on pathnames. To read or write files see [`open\(\)`](#), and for accessing the filesystem see the [`os`](#) module.

Note

On Windows, many of these functions do not properly support UNC pathnames. [`splitunc\(\)`](#) and [`ismount\(\)`](#) do handle them correctly.

Note

Since different operating systems have different path name conventions, there are several versions of this module in the standard library. The `os.path` module is always the path module suitable for the operating system Python is running on, and therefore usable for local paths. However, you can also import and use the individual modules if you want to manipulate a path that is *always* in one of the different formats. They all have the same interface:

- `posixpath` for UNIX-style paths
- `ntpath` for Windows paths
- [`macpath`](#) for old-style MacOS paths
- `os2emxpath` for OS/2 EMX paths

`os.path.abspath(path)`¶

Return a normalized absolutized version of the pathname *path*. On most platforms, this is equivalent to `normpath(join(os.getcwd(), path))`.

New in version 1.5.2.

`os.path.basename(path)`¶

Return the base name of pathname *path*. This is the second half of the pair returned by `split(path)`. Note that the result of this function is different from the Unix `basename` program; where `basename` for `/foo/bar/` returns `'bar'`, the [`basename\(\)`](#) function returns an empty string (`'`

`os.path.commonprefix(list)`¶

Return the longest path prefix (taken character-by-character) that is a prefix of all paths in *list*. If *list* is empty, return the empty string (`'`

`os.path.dirname(path)`¶

Return the directory name of pathname *path*. This is the first half of the pair returned by `split(path)`.

`os.path.exists(path)`¶

Return `True` if *path* refers to an existing path. Returns `False` for broken symbolic links. On some platforms, this function may return `False` if permission is not granted to execute [`os.stat\(\)`](#) on the requested file, even if the *path* physically exists.

`os.path.lexists(path)`¶

Return `True` if *path* refers to an existing path. Returns `True` for broken symbolic links. Equivalent to [`exists\(\)`](#) on platforms lacking [`os.lstat\(\)`](#).

New in version 2.4.

`os.path.expanduser(path)`¶

On Unix and Windows, return the argument with an initial component of `~` or `~user` replaced by that *user's* home directory.

On Unix, an initial `~` is replaced by the environment variable `HOME` if it is set; otherwise the current user's home directory is looked up in the password directory through the built-in module [`pwd`](#). An initial `~user` is looked up directly in the password directory.

On Windows, `HOME` and `USERPROFILE` will be used if set, otherwise a combination of `HOMEPATH` and `HOMEDRIVE` will be used. An initial `~user` is handled by stripping the last directory component from the created user path derived above.

If the expansion fails or if the path does not begin with a tilde, the path is returned unchanged.

`os.path.expandvars(path)`¶

Return the argument with environment variables expanded. Substrings of the form `$name` or `${name}` are replaced by the value of environment variable *name*. Malformed variable names and references to non-existing variables are left unchanged.

On Windows, %name% expansions are supported in addition to \$name and \${name}.

`os.path.getatime(path)`

Return the time of last access of *path*. The return value is a number giving the number of seconds since the epoch (see the [time](#) module). Raise [os.error](#) if the file does not exist or is inaccessible.

New in version 1.5.2.

Changed in version 2.3: If [os.stat_float_times\(\)](#) returns True, the result is a floating point number.

`os.path.getmtime(path)`

Return the time of last modification of *path*. The return value is a number giving the number of seconds since the epoch (see the [time](#) module). Raise [os.error](#) if the file does not exist or is inaccessible.

New in version 1.5.2.

Changed in version 2.3: If [os.stat_float_times\(\)](#) returns True, the result is a floating point number.

`os.path.getctime(path)`

Return the system's ctime which, on some systems (like Unix) is the time of the last change, and, on others (like Windows), is the creation time for *path*. The return value is a number giving the number of seconds since the epoch (see the [time](#) module). Raise [os.error](#) if the file does not exist or is inaccessible.

New in version 2.3.

`os.path.getsize(path)`

Return the size, in bytes, of *path*. Raise [os.error](#) if the file does not exist or is inaccessible.

New in version 1.5.2.

`os.path.isabs(path)`

Return True if *path* is an absolute pathname. On Unix, that means it begins with a slash, on Windows that it begins with a (back)slash after chopping off a potential drive letter.

`os.path.isfile(path)`

Return True if *path* is an existing regular file. This follows symbolic links, so both [islink\(\)](#) and [isfile\(\)](#) can be true for the same path.

`os.path.isdir(path)`

Return True if *path* is an existing directory. This follows symbolic links, so both [islink\(\)](#) and [isdir\(\)](#) can be true for the same path.

`os.path.islink(path)`

Return True if *path* refers to a directory entry that is a symbolic link. Always False if symbolic links are not supported.

`os.path.ismount(path)`

Return True if pathname *path* is a *mount point*: a point in a file system where a different file system has been mounted. The function checks whether *path*'s parent, `path/..`, is on a different device than *path*, or whether `path/..` and *path* point to the same i-node on the same device — this should detect mount points for all Unix and POSIX variants.

`os.path.join(path1[, path2[, ...]])`

Join one or more path components intelligently. If any component is an absolute path, all previous components (on Windows, including the previous drive letter, if there was one) are thrown away, and joining continues. The return value is the concatenation of *path1*, and optionally *path2*, etc., with exactly one directory separator (`os.sep`) inserted between components, unless *path2* is empty. Note that on Windows, since there is a current directory for each drive, `os.path.join("c:", "foo")` represents a path relative to the current directory on drive C: (`c:foo`), not `c:\foo`.

`os.path.normcase(path)`

Normalize the case of a pathname. On Unix and Mac OS X, this returns the path unchanged; on case-insensitive filesystems, it converts the path to lowercase. On Windows, it also converts forward slashes to backward slashes.

`os.path.normpath(path)`

Normalize a pathname. This collapses redundant separators and up-level references so that `A//B`, `A/./B` and `A/foo/./B` all become `A/B`. It does not normalize the case (use [normcase\(\)](#) for that). On Windows, it converts forward slashes to backward slashes. It should be understood that this may change the meaning of the path if it contains symbolic links!

`os.path.realpath(path)`

Return the canonical path of the specified filename, eliminating any symbolic links encountered in the path (if they are supported by the operating system).

New in version 2.2.

`os.path.realpath(path[, start])`

Return a relative file path to *path* either from the current directory or from an optional *start* point.

start defaults to [os.curdir](#). Availability: Windows, Unix.

New in version 2.6.

`os.path.samefile(path1, path2)`

Return `True` if both pathname arguments refer to the same file or directory (as indicated by device number and i-node number). Raise an exception if a `os.stat()` call on either pathname fails. Availability: Unix.

`os.path.sameopenfile(fp1, fp2)`

Return `True` if the file descriptors `fp1` and `fp2` refer to the same file. Availability: Unix.

`os.path.samestat(stat1, stat2)`

Return `True` if the stat tuples `stat1` and `stat2` refer to the same file. These structures may have been returned by `fstat()`, `lstat()`, or `stat()`. This function implements the underlying comparison used by `samefile()` and `sameopenfile()`. Availability: Unix.

`os.path.split(path)`

Split the pathname `path` into a pair, (`head`, `tail`) where `tail` is the last pathname component and `head` is everything leading up to that. The `tail` part will never contain a slash; if `path` ends in a slash, `tail` will be empty. If there is no slash in `path`, `head` will be empty. If `path` is empty, both `head` and `tail` are empty. Trailing slashes are stripped from `head` unless it is the root (one or more slashes only). In nearly all cases, `join(head, tail)` equals `path` (the only exception being when there were multiple slashes separating `head` from `tail`).

`os.path.splitdrive(path)`

Split the pathname `path` into a pair (`drive`, `tail`) where `drive` is either a drive specification or the empty string. On systems which do not use drive specifications, `drive` will always be the empty string. In all cases, `drive + tail` will be the same as `path`.

New in version 1.3.

`os.path.splitext(path)`

Split the pathname `path` into a pair (`root`, `ext`) such that `root + ext == path`, and `ext` is empty or begins with a period and contains at most one period. Leading periods on the basename are ignored; `splitext('.cshrc')` returns `('.cshrc', '')`.

Changed in version 2.6: Earlier versions could produce an empty root when the only period was the first character.

`os.path.splitunc(path)`

Split the pathname `path` into a pair (`unc`, `rest`) so that `unc` is the UNC mount point (such as `r'\\host\mount'`), if present, and `rest` the rest of the path (such as `r'\path\file.ext'`). For paths containing drive letters, `unc` will always be the empty string. Availability: Windows.

`os.path.walk(path, visit, arg)`

Calls the function `visit` with arguments (`arg`, `dirname`, `names`) for each directory in the directory tree rooted at `path` (including `path` itself, if it is a directory). The argument `dirname` specifies the visited directory, the argument `names` lists the files in the directory (gotten from `os.listdir(dirname)`). The `visit` function may modify `names` to influence the set of directories visited below `dirname`, e.g. to avoid visiting certain parts of the tree. (The object referred to by `names` must be modified in place, using `del` or slice assignment.)

Note

Symbolic links to directories are not treated as subdirectories, and that `walk()` therefore will not visit them. To visit linked directories you must identify them with `os.path.islink(file)` and `os.path.isdir(file)`, and invoke `walk()` as necessary.

Note

This function is deprecated and has been removed in 3.0 in favor of `os.walk()`.

`os.path.supports_unicode_filenames`

True if arbitrary Unicode strings can be used as file names (within limitations imposed by the file system), and if `os.listdir()` returns Unicode strings for a Unicode argument.

New in version 2.3.

Previous topic

[11. File and Directory Access](#)

Next topic

[11.2. fileinput — Iterate over lines from multiple input streams](#)

This Page

- [Show Source](#)

Navigation

- [index](#)

- [modules](#) |
- [next](#) |
- [previous](#) |
- [Python v2.6.4 documentation](#) »
- [The Python Standard Library](#) »
- [11. File and Directory Access](#) »

© [Copyright](#) 1990-2010, Python Software Foundation.

The Python Software Foundation is a non-profit corporation. [Please donate.](#)

Last updated on Feb 26, 2010. Created using [Sphinx](#) 0.6.3.